

POWEREDGE R340

Accelerate Business Growth

The Dell EMC PowerEdge R340 is a single-socket 1U rack server designed for productivity and data intensive applications for remote office/branch offices.



Boost your business productivity

The Dell EMC PowerEdge R340 boosts business productivity, provides the flexibility to scale, and automates daily tasks. It is the ideal solution that allows you to focus on what matters: Accelerate your business growth. The R340 offers features to support your demanding and growing business needs.

- Accelerate your business with improved performance due to 50% more cores with Intel® Xeon® E-2100 processors, 11% increase in memory speed, and 20% more PCIe lanes.¹
- Harness data growth with up to 8 x internal 2.5" or 4 x 3.5" hot-plug hard drives.
- Manage operational costs with Multi-Vector cooling which automatically calculates and delivers the proper airflow needed for optimal cooling.

Simplify your IT infrastructure

The Dell OpenManage portfolio offers innovations that simplifies management tasks, making IT operations efficient and cost-effective throughout the server lifecycle.

- The embedded iDRAC9 with Lifecycle Controller, server deployment, configuration and updates are fast and worry-free.
- Access your servers anywhere, anytime from your mobile device with OpenManage Mobile (requires OpenManage Enterprise).
- Resolve issues with up to 72% less IT effort using automated proactive and predictive technology from ProSupport Plus and SupportAssist.²

Keep your data safe

Every PowerEdge server is made with a cyber-resilient architecture, building security into the server's entire life cycle. Dell EMC is laser-focused on security (from design to end-of-life) to ensure trust and deliver worry-free, secure servers.

- Keep your data safe with software RAID.
- Maintain data safety with cryptographically-signed firmware packages and Secure Boot.
- Protect your server from malicious malware with iDRAC9 Enterprise Server Lockdown mode.
- Wipe all data from storage media quickly and securely with System Erase

PowerEdge R340

- Improved performance due to 50% more cores
- Scale with 17% more storage capacity
- Protect your server from malicious malware with iDRAC9 Enterprise Server Lockdown mode

¹ Based on Dell EMC Internal analysis comparing R340 vs the previous generation. September 2018.

² Based on June 2018 Principled Technologies Report commissioned by Dell EMC, "Save time and IT effort resolving server hardware issues with ProSupport Plus and SupportAssist", compared to Basic Warranty without SupportAssist.

PowerEdge R340

Features	Technical Specification	
Processor	1 processor from the following: Intel® Xeon® E-2100 product family, Intel Pentium®, Intel Core i3®, Intel Celeron®	
Memory	4 x DDR4 DIMM slots, Supports UDIMM, up to 2666MT/s, 64GB Max. Supports registered ECC	
Storage controllers	Internal controllers: PERC H730P, H330, HBA330 (non-RAID) Software RAID: PERC S140 External HBAs: 12Gbps SAS HBA (non-RAID) Boot Optimized Storage Subsystem: 2x M.2 240GB (RAID 1 or No RAID), 1x M.2 240GB (No RAID only)	
Drive bays	Up to 8 x 2.5 hot-plug SATA, SAS (optional) or SSD Up to 4 x 3.5 hot-plug SATA, SAS (optional) or SSD	
Power supplies	Single or dual 350W (Platinum) or 550W (Platinum) hot-plug redundant power supplies	
Dimensions	Form factor: Rack (1U)	Chassis width: 434.00mm (17.08 in) Chassis depth: 595.63mm (23.45 in) (3.5" HDD config) Chassis depth: 544.836mm (21.45 in) (2.5" HDD config) Note: These dimensions do not include: bezel, redundant PSU Chassis weight: 13.6 kg (29.98 lb.)
Embedded management	iDRAC9 with Lifecycle Controller iDRAC Direct iDRAC RESTful API with Redfish	
Bezel	Optional security bezel	
OpenManage™ Software	OpenManage Enterprise OpenManage Essentials	OpenManage Power Center OpenManage Mobile (requires OpenManage Enterprise)
Integrations and connections	Integrations: Microsoft® System Center VMware® vCenter™ BMC Truesight (available from BMC) Red Hat Ansible	Connections: Nagios Core & Nagios XI Micro Focus Operations Manager i (OMi) IBM Tivoli Netcool/OMNibus
Tools	iDRAC Service Module OpenManage Server Administrator Dell EMC Repository Manager Dell EMC System Update	Dell EMC Server Update Utility Dell EMC Update Catalogs Dell EMC RACADM CLI IPMI Tool
Security	TPM 1.2/2.0 optional Cryptographically signed firmware Silicon Root of Trust	Secure Boot System Lockdown (requires OpenManage Enterprise) System Erase
I/O & Ports	Networking Options: 2 x 1GbE LOM Network Interface Controller (NIC) ports Front ports: 1x USB 2.0, 1 x iDRAC micro USB 2.0 management port Rear ports: 2 x USB 3.0, VGA, serial connector	2 x PCIe Gen 3.0 slots: • One x8 slot low-profile, half-length with x4 slot width • One x16 slot low-profile/full-height, half-length with x8 bandwidth
Supported operating systems	Certify XenServer Citrix® XenServer® Microsoft Windows Server® with Hyper-V Red Hat® Enterprise Linux Ubuntu Server	SUSE® Linux Enterprise Server VMware® ESXi For specifications and interoperability details, see Dell.com/OSsupport .
OEM-ready version available	From bezel to BIOS to packaging, your servers can look and feel as if they were designed and built by you. For more information, visit Dell.com/OEM .	
Recommended support	ProSupport Plus for critical systems or ProSupport for comprehensive hardware and software support for your PowerEdge solution. Consulting and deployment offerings are also available. Contact your Dell EMC representative today for more information. Availability and terms of Dell EMC Services vary by region. For more information, visit Dell.com/ServiceDescriptions .	
Dell Financial Services	Deliver results with easy financing. Explore financial options that move at the speed of business. For more information, visit https://www.emc.com/products/how-to-buy/global-financial-services/index.htm .*	

Learn more at DellEMC.com/PowerEdge

End-to-end technology solutions

Reduce IT complexity, lower costs and eliminate inefficiencies by making IT and business solutions work harder for you. You can count on Dell for end-to-end solutions to maximize your performance and uptime. A proven leader in Servers, Storage and Networking, Dell Enterprise Solutions and Services deliver innovation at any scale. And if you're looking to preserve cash or increase operational efficiency, Dell Financial Services™ has a wide range of options to make technology acquisition easy and affordable. Contact your Dell Sales Representative for more information.**

©2016 Dell Inc. All rights reserved. Dell, the DELL logo, the DELL badge, PowerEdge, and OpenManage are trademarks of Dell Inc. Other trademarks and tradenames may be used in this document to refer to either the entities claiming the marks and names or their products. Dell disclaims proprietary interest in the marks and names of others. This document is for informational purposes only. Dell reserves the right to make changes without further notice to any products herein. The content provided is as is and without express or implied warranties of any kind.

**Leasing and financing provided and serviced by Dell Financial Services L.L.C. or its affiliate or designee ("DFS") for qualified customers. Offers may not be available or may vary in certain countries. Where available, offers may be changed without notice and are subject to product availability, credit approval, execution of documentation provided by and acceptable to DFS, and may be subject to minimum transaction size. Offers not available for personal, family or household use. Dell and the DELL logo are trademarks of Dell Inc. (may be a newer version)



POWEREDGE R440

Optimized for dense, scale-out computing



The PowerEdge R440 delivers the perfect combination of performance and density for HPC and web-tech deployments with a feature set right-sized for scale-out infrastructure environments.

Deliver performance at scale with the Dell EMC PowerEdge portfolio

Modern compute platforms from Dell EMC easily scale and leverage key technologies to maximize application performance. The PowerEdge R440 is built on a scalable architecture that provides the choice and flexibility to optimize performance and density.

- Scale compute resources with Intel® Xeon® Scalable processors delivering a 27% increase in processing cores and 50% increase in bandwidth over previous generation of Xeon processors.
- Flexible storage with up to 10 x 2.5 SAS/SATA/SSD with up to 4 NVMe PCIe SSD's or 4 x 3.5.
- Free up storage with boot optimized M.2 SSDs.

Intuitive systems management with intelligent automation

Dell EMC gives top efficiency to PowerEdge servers, delivering smart automation of day to day tasks with the power and efficiency of the embedded iDRAC with Lifecycle Controller. With its agent-free management, the R440 is simply managed and frees up time for work priorities.

- Simplify management of your servers with OpenManage Essentials, a 1:many console that automates all phases of lifecycle management: deployment, updates, monitoring, and maintenance.
- Use Quick Sync 2, a wireless module, and the OpenManage Mobile app for at-server management, to configure or troubleshoot in the data center, and to receive alerts when you're on the go.

Rely on PowerEdge with built-in security

Every PowerEdge server is made with a cyber-resilient architecture, building security into all parts of a server's life cycle. The R440 uses these new security features so you can reliably and securely deliver the right data to where your customers are, no matter where they are. Dell EMC consider each part of system security, from design to end of life, to ensure trust and deliver worry-free, secure systems.

- Rely on a secure supply chain that protects servers from factory to the data center.
- Maintain data safety with cryptographically signed firmware packages and Secure Boot.
- Prevent unauthorized or malicious change with Server Lockdown.
- Wipe all data from storage media including hard drives, SSDs and system memory quickly and securely with System Erase.

PowerEdge R440

- 1U, 2 socket server
- Up to 10 2.5 drives with up to 4 NVMe
- Internal M.2 boot drives

PowerEdge R440

Features	Technical Specification	
Processor	Up to two Intel® Xeon® Scalable processors, up to 22 cores per processor	
Memory	16 DDR4 DIMM slots, Supports RDIMM /LRDIMM, speeds up to 2666MT/s, 1TB max*	
Storage controllers	Internal controllers: PERC H330, H730p, H740p, HBA330, Software RAID (SWRAID) S140 Boot Optimized Storage Subsystem: HWRAID 2 x M.2 SSDs 120GB, 240 GB External PERC (RAID): H840 External HBAs (non-RAID): 12 Gbps SAS HBA	
Drive bays	Front drive bays: Up to 10 x 2.5" SAS/SATA (HDD/SSD) with up to 4 NVMe SSD max 48TB or up to 4 x 3.5 SAS/SATA HDD max 56TB Optional DVD-ROM, DVD+RW	
Power supplies	Bronze 450W, Platinum 550W	
Fans	Six hot pluggable fans for N+1 redundancy	
Sizing	Form factor: Rack (1U)	Chassis: 728.23 mm Front Bezel to Rear PSU Handle 714.58 mm Front plate (no bezel) to Rear PSU Handle
Bezel	Optional LCD or security bezel	
Embedded / At-Server	iDRAC9 with Lifecycle Controller iDRAC Direct	iDRAC REST API with Redfish Quick Sync 2 BLE/wireless module
Consoles & Mobile	OpenManage Enterprise (available soon) OpenManage Essentials	OpenManage Mobile OpenManage Power Center
Integrations	OpenManage integrations: Microsoft® System Center, VMware® vCenter™, BMC Software	
Connections	OpenManage connections: Nagios & Nagios XI, HP Operations Manager	
Tools	Dell EMC Repository Manager Dell EMC Update Package Dell EMC System Update Dell EMC Server Update Utility	iDRAC Service Module OpenManage Server Administrator OpenManage Storage Services
Security	TPM 1.2/2.0 optional Cryptographically signed firmware Silicon Root of Trust	Secure Boot System Lockdown System Erase
I/O & Ports	Network options 2 x 1GE LOM + (optional) LOM Riser 2 x 1GE or 2x 10GE SFP+ or 2 x 10GE BaseT Front ports: Video, 1 x USB 2.0, available USB 3.0, dedicated iDRAC Direct USB Rear ports: Video, serial, 2 x USB 3.0, dedicated iDRAC network port Riser options also available include 2 x HH/HL or 1 x FH/HL	
Supported operating systems	Canonical® Ubuntu® LTS Citrix® XenServer® Microsoft Windows Server® with Hyper-V Red Hat® Enterprise Linux SUSE® Linux Enterprise Server VMware® ESXi	For specifications and interoperability details see Dell.com/QSsupport .
OEM-ready version available	From bezel to BIOS to packaging, your servers can look and feel as if they were designed and built by you. For more information, visit Dell.com/OEM .	
Recommended support and services	Choose Dell ProSupport Plus for critical systems or Dell ProSupport for premium hardware and software support for your PowerEdge solution. Consulting and deployment offerings are also available. Contact your Dell representative today for more information. Availability and terms of Dell Services vary by region. For more information, visit dell.com/itlifecycleservices .	
Dell Financial Services	Deliver results with easy financing. Explore financial options that move at the speed of business. For more information, visit https://www.emc.com/products/how-to-buy/global-financial-services/index.htm .*	

*768GB max memory is recommended for performance optimized configurations

Learn more at Dell.com/PowerEdge

End-to-end technology solutions

Reduce IT complexity, lower costs and eliminate inefficiencies by making IT and business solutions work harder for you. You can count on Dell EMC for end-to-end solutions to maximize your performance and uptime. A proven leader in Servers, Storage and Networking, Dell EMC Services deliver innovation at any scale. And if you're looking to preserve cash or increase operational efficiency, Dell Financial Services™ has a wide range of options to make technology acquisition easy and affordable. Contact your Dell Sales Representative for more information.*

* Payment solutions provided and serviced by Dell Financial Services L.L.C. or its affiliate or designee ("DFS") for qualified customers. Offers may not be available or may vary in certain countries. Where available, offers may be changed without notice and are subject to product availability, credit approval, execution of documentation provided by and acceptable to DFS, and may be subject to minimum transaction size. Offers not available for personal, family or household use. Product availability may vary by region. Please contact your Dell EMC representative for more information. Dell and the Dell logo are trademarks of Dell Inc. Restrictions and additional requirements may apply to transactions with governmental or public entities.

